

KEYWORD INDEX

- α -Sn, 1539
 ω Phase transformation, 299
 θ -MnNi, 1306
 2-Point correlation, 5285
 3-D image analysis, 2167
 3D EBSD, 31
 3D characterization, 1981
 3D image analysis, 1084
 3DAP, 6061
 $L1_0$ FePt film, 1564
- AA6156, 2872
 ALCHEMI, 4267
 Ab initio calculation, 968
 Ab initio calculations, 4804
 Ab initio electron theory, 2469, 3202, 4062, 4226, 4440, 3358
 Abnormal grain growth, 3739
 Accumulative roll bonding, 1228
 Acoustic methods, 2856
 Activated carbon, 6257
 Adiabatic calorimetry, 3711
 Adiabatic calorimetry, 6282
 Adiabatic heating, 4635
 Age hardening, 1933, 2147
 Ageing, 1555, 1909, 3229, 3533, 4206, 6061
 Aging, 1306, 3723, 6109
 Al alloys, 1933, 6109
 Al-Al₃Ti alloy, 4549
 Al-Cu-Mg alloys, 4804
 Al-Pb alloys, 4750
 Al-Si alloys, 5605
 Al-Zn alloys, 6123
 Al-Zn-Mg alloys, 925
 Al-Zn, 4002
 Al₂O₃-carbon nanotube (CNT) nanocomposite, 5984
 AlN-SiC_{ss}, 3543
 Alloys, 4339
 Alternating copolymer, 3327
 Alumina (α -Al₂O₃), 2015
 Aluminium, 1919, 4358, 1358, 3800, 5168
 Aluminium alloy, 2223
 Aluminium alloys, 1671, 1909, 2495, 3036, 3313, 3461, 3490, 4319, 4804
 Aluminium foam, 3990
 Aluminum, 1114, 1390, 2307, 2615, 274, 3380, 5719, 5938, 6013, 609
 Aluminum alloys, 114, 1182, 2549, 3098, 3723, 4046, 4369, 4522, 5214, 5567, 5708, 6174, 6264, 6273
 Amorphous, 4869
 Amorphous Cr(Mo) alloy, 6050
 Amorphous alloy, 5440
 Amorphous materials, 3613, 464, 5875
 Amorphous oxides, 659
 Analytical electron microscopy, 3053, 527
 Analytical method, 4242
 Analytical methods, 942, 6087, 6205, 1165
 Analytical modelling, 835, 874
 Angle-resolved X-ray photoelectron spectroscopy, 4621
 Anisotropic elasticity, 3450, 3568
 Anisotropy, 1671, 2476, 862
 Annealing, 324, 4577, 4993, 5202, 6309
 Annihilation, 4608
 Anodization, 1390
 Anomalous grain growth, 1407
 Antiphase boundary, 5861
 Antiphase boundary tubes, 2526
 Artificial neural networks, 1094
 Aspect ratio, 4896
 Atmosphere, 2615
 Atom probe field ion microscopy (AP-FIM), 188
 Atom probe tomography (APT), 16
- Atom-probe tomography, 2073, 3422
 Atomic bond deficiency, 3550
 Atomic force microscopy, 2296, 3585, 4233, 5112, 5845, 5938, 6303
 Atomic force microscopy (AFM), 380, 4206
 Atomic mobility, 3940
 Atomic ordering, 5552
 Atomic packing density, 5440
 Atomic structure, 6264, 6273
 Atomistic modeling, 5401
 Atomistic simulation, 3481
 Atomistic simulations, 3761
 Au/Sn couples, 5818
 Auger electron spectroscopy (AES), 5514
 Augmented plane wave method (FLAPW), 4601
 Austenite, 16
 Austenite-to-martensite phase transformation, 3367
 Austenitic stainless steels, 3598
 Austenitic steel, 4183, 4570, 5071
- Backpropagation networks, 1094
 Bainite, 16, 2037
 Bainitic steel, 5466
 Bainitic steels, 188
 Barrier layer, 1390
 Bauschinger effect, 1435, 3002, 5477
 Bending test, 1529, 1942, 222
 Bilayer, 479
 Binary alloys, 1094
 Binary blends, 1173
 Binary oxides, 4028
 Biomaterials, 1868, 2856
 Biphase magnetic systems, 292
 Block copolymer, 3516, 5112
 Bond Order Potential, 5401
 Bonding, 438, 4858, 5617, 6197
 Borides, 5345
 Borohydride, 1342
 Brazing, 1802, 4593
 Brittle-ductile transition, 5123
 Brittle-to-ductile transition, 5627
 Buckling, 4150, 43
 Bulk amorphous materials, 651, 2625, 3120, 5058
 Bulk diffusion, 351, 2864, 2937, 3688, 3854, 4577
 Bulk metallic glass, 471, 1785, 3077
 Bulk metallic glasses, 500, 2032, 2834, 3290, 4635
 Bulk modulus, 395
- CALPHAD, 2576, 4062, 4277, 5214
 CaCu₃Ti₄O₁₂, 4798
 Cadmium sulfide, 5775
 Capillarity, 364
 Capillary phenomena, 1967
 Carbides, 2563, 3236
 Carbon and graphite, 4242, 5340
 Carbon diffusion, 5837
 Carbon nanofiber, 2381
 Carbon nanotube, 955
 Carbon nanotubes, 4070
 Cast aluminum alloys, 6027
 Cast iron, 1981
 Casting, 1830, 3036
 Casting porosity, 985
 Catalysis, 4702
 Cation-ordered, 4876
 Cavitation, 4921
 Cavity nucleation, 4450
 CdS, 259
 CdSe particles, 1144
 Cell and dendrite, 3146
 Cell dynamical system, 1173

Cell structure, 2283
 Cellular solids, 1209, 2540
 Cementite, 5837
 Cementite dissolution, 78
 Ceramic material, 4739
 Ceramic matrix composite, 5345
 Ceramic matrix composites, 5783
 Ceramic matrix composites (CMC), 4070
 Ceramic matrix composites (CMCs), 1529
 Ceramic membrane, 4876
 Ceramic–elastomer composites, 5964
 Ceramics, 140, 215, 1380, 1511, 1991, 2022, 3132, 4070, 4206, 4489, 4658
 Ceria, 5177
 Cerium, 387
 Cerium oxide (CeO_2), 2336
 Cermet, 5012
 Cermets, 3358
 Charpy impact test, 6097
 Chemical diffusion, 4489
 Chemical potential, 5255
 Chemical synthesis, 1680, 5751
 Chemical vapor deposition (CVD), 571
 Chemically driven inelastic strain, 351
 Chessboard structure, 4498
 Chromium–platinum, 5796
 Chromium, 1857
 Circular indentation, 2706
 Classical nucleation theory, 2119
 Climb, 2262
 Closed cell cellular materials, 5524
 Cluster assisted nucleation, 2147
 Cluster expansion, 3202
 Cluster-assisted nucleation, 1933
 Cluster/site approximation, 2576, 5796
 Co–Si system, 3940
 CoNiAl shape memory alloys, 4470
 CoSi–CoSi₂ eutectic, 2514
 Coalescence, 2919
 Coarsening, 114, 150, 1182, 2073, 448, 5395
 Coarsening kinetics, 5544
 Coarsening mechanism, 2649, 4585
 Coating, 43, 380, 489, 955, 4577, 4858, 5617, 2750, 5012, 5101
 Coated conductors, 23
 Cobalt-base superalloys, 1288
 Coercivity, 4890
 Cohesive interface, 4739
 Coincident site lattice (CSL), 3278
 Colony, 5995
 Combustion synthesis, 1461
 Compatibility, 313, 3622
 Complex hydrides, 949
 Composite, 3077, 995
 Composites, 3810
 Compound energy formalism, 5255
 Compound semiconductors, 1417, 3511
 Compression test, 60, 333, 1555, 1712, 2231, 3245, 5492, 5575
 Computational model, 4647
 Computational thermodynamics, 2032
 Computer simulations, 5058
 Conducting crack, 222
 Conductivity, 1820, 2381
 Constitutive behavior, 1219
 Constitutive equation, 4771
 Constitutive equations, 4046, 4091
 Constitutive modeling, 5560
 Containerless solidification, 2514
 Continuum mechanics model, 1001
 Continuum mechanics, 341, 3786
 Contour method, 1701
 Cooperative model, 1650
 Copper, 230, 438, 580, 1473, 1830, 1942, 3770, 3874, 3914, 4944
 Copper alloys, 809, 1519, 1570, 3053, 5500, 6050
 Copper amorphous alloy, 2032
 Correction factor, 1399
 Correlation factor, 1366
 Corrosion, 3278
 Cottrell atmospheres, 3450
 Crack closure, 835
 Crack deflection, 2908
 Crack propagation, 2247
 Cracking, 4458
 Creep, 250, 1407, 2283, 2307, 2406, 2549, 3044, 3688, 4369, 4450, 4489, 5293, 6156
 Creep damage, 3598
 Creep test, 3777
 Critical nuclei, 3568
 Critical resolved shear stress, 4102
 Cryogenic temperature, 1619
 Crystal growth, 3647, 3862
 Crystal plasticity, 31, 200, 511, 1031, 1257, 1274, 1491, 2022, 2469, 2531, 3843, 4529, 4647, 4691, 4762, 5359, 5370, 5388
 Crystalline oxides, 1967
 Crystallisation, 549, 1899, 1868, 2381, 2625, 2760, 2819, 2897, 3065, 4217
 Crystallographic misorientations, 4002
 Crystallographic orientation, 2212
 Crystallographic texture, 6141
 Crystallography, 3169
 Cu single crystal, 2649
 Cu–Al–Ni, 3711
 Cu–Al–Ni, 6282
 Cu–Zr–Be alloys, 3120
 Cu₆Sns, 1075
 Cube component, 3098
 Cubic texture, 23
 Curie temperature, 5370
 Current effect of microstructure, 1840
 Cyclic loading path, 1435
 Cyclic loading, 2799, 4724
 Cyclic micro-plasticity, 1435
 Cyclic response, 3630
 Cyclic stress–strain curve, 2212
 DFT, 2669
 DLTS, 1857
 Damage initiation, 1657, 2955, 4954
 Damping capacity, 3770
 Dark-field image, 2015
 Dealloying, 324
 Decarburization, 5012
 Decomposition, 4780
 Deeply undercooled liquids, 3550
 Defect, 3550
 Defects, 593
 Deformation, 5938
 Deformation band, 2212
 Deformation inhomogeneities, 369, 1496, 2167
 Deformation inhomogeneities, 4349
 Deformation kinetics, 4635
 Deformation mode maps, 1044
 Deformation structure, 518, 2495, 2638, 4328
 Deformation structures, 4836
 Deformation twinning, 230, 3470, 3699, 4358
 Delamination, 43
 Dendrite formation, 5708
 Dendritic coarsening, 4585
 Dendritic solidification, 4965
 Densification, 1380
 Densification maps, 3222
 Density functional, 4804
 Density functional theory, 2191, 2374, 2864, 2948, 3502, 6232
 Density functional theory (DFT), 2531, 4984
 Deposition, 1011
 Dielectric, 2381
 Dielectrics, 977, 2744, 3810
 Differential scanning calorimetry, 559
 Differential scanning calorimetry (DSC), 2625, 3162, 4217, 4905
 Differential thermal analysis, 155
 Diffraction, 4529

- Diffuse neutron scattering, 5964
 Diffusion, 464, 1890, 2262, 2290, 2406, 3236, 3502, 3550, 3754, 4972, 5514, 5668
 Diffusion bonding, 3036
 Diffusion growth, 3940
 Diffusion mechanism, 1366
 Digital image correlation, 2231, 3791, 6303
 Dilatancy, 3403
 Dilatometer, 3833
 Direct-chill casting, 1358
 Directional coarsening, 6156
 Directional solidification, 2631, 2819, 3146, 3862, 5245, 5708
 Disclination, 5828
 Disclinations, 2718, 5728
 Disconnections, 5701
 Discontinuous coarsening, 1196
 Discrete Fourier transform, 5285
 Discrete dislocation dynamics, 1435
 Dislocation, 250, 602, 1065, 1126, 1447, 2015, 2799, 2975, 3109, 5312, 5535, 5685, 6040, 6156
 Dislocation boundaries, 1919
 Dislocation density, 1657, 2988, 3663
 Dislocation dipole, 4608
 Dislocation dynamics, 1555, 1942, 2706, 2937, 3245, 4450, 5123, 5466, 5938
 Dislocation gliding, 78
 Dislocation loop, 5034
 Dislocation mobility, 5466
 Dislocation storage rate, 6040
 Dislocation structure, 1849, 2735, 4691, 5804
 Dislocation structures, 1447, 3002
 Dislocation theory, 2441
 Dislocations, 274, 341, 1288, 1570, 1642, 1712, 2262, 2353, 2570, 3761, 3874, 4046, 4091, 4715, 4846, 5123, 5401, 5728
 Dispersion strengthening, 3490
 Displacement, 2570
 Dissimilar sulfur concentrations, 2133
 Distortion, 1482
 Distribution concept, 5395
 Domain switching, 215
 Droplet deposition and redeposition, 1588
 Droplets, 2750
 Drug delivery, 3260
 Dual-phase, 4954
 Ductile fracture, 1671, 4429
 Ductility, 4921, 88
 Duplex stainless steel, 2003
 Dye-sensitized solar cell, 2488
 Dynamic grain coarsening, 1619
 Dynamic mechanical analysis, 2885, 5130, 5954
 Dynamic phenomena, 3786, 4150
 Dynamic plastic deformation, 230, 2429
 Dynamic recovery, 5451
 Dynamic recrystallization, 4944, 6174
 Dynamic tensile extrusion, 5804
 EBPVD, 3770
 EBSD, 1228, 1619, 2037, 5907, 5995
 ECAP, 3439
 EDXS, 5972
 EELS, 395, 4028
 EOS, 2389
 EXAFS, 2669, 3120
 Edge dislocation, 3450, 5034
 Effective diffusivity, 1840
 Elastic behavior, 60, 128, 1473, 1511, 3523, 3843, 4183, 5954, 6232
 Elastic behaviour, 2856, 5737
 Elastic constants, 4913
 Elastic properties, 2476
 Elastic property, 2022
 Elastic-plastic self-consistent (EPSC) model, 2456
 Elasto-optical materials, 5677
 Elastomeric polymer, 4780
 Electrical conductivity, 5138
 Electrical properties, 2810
 Electrical resistivity/conductivity, 2563, 2929, 3065, 4658
 Electroactive-paper, 1868
 Electroceramics, 222, 642, 1577, 2110, 2744, 5027
 Electrochemical characterization, 177
 Electrochemical impedance, 2687
 Electrochemistry, 2687
 Electrode potential, 1539
 Electrodeposition, 5818
 Electroluminescence, 3327
 Electromigration, 1840
 Electron backscatter diffraction, 2363, 3800, 5837
 Electron backscatter diffraction (EBSD), 2638
 Electron backscattered diffraction (EBSD), 4298
 Electron backscattering diffraction, 3951
 Electron backscattering diffraction (EBSD), 1257, 1274
 Electron diffraction pattern, 3169
 Electron energy-loss spectroscopy, 4993
 Electron microscopy, 1762, 2089
 Electron paramagnetic resonance, 3982
 Electron-hole separation, 2699
 Electronic band structure, 5694
 Electronic structure, 88, 3353, 4913, 5071, 5223
 Electroplating, 5514
 Electrospinning, 5775
 Ellipsometry, 2897
 Embrittlement, 3963
 Energy-filtered transmission microscopy, 1407
 Enthalpy, 4798
 Enthalpy of formation, 4062
 Entropy, 4798
 Environment-assisted cracking, 4339
 Epitaxial growth, 1491
 Equal channel angular extrusion, 200, 1018, 1031, 3630
 Equal channel angular pressing, 1018, 1031, 2223, 2307, 3800
 Equal channel angular pressing (ECAP), 1473, 2770, 5500
 Equiaxed dendritic growth, 3023
 Equilibrium-thickness, 862
 Europium oxide, 955
 Eutectic, 3613
 Eutectic solidification, 651, 1348, 1830, 2819, 3862
 Eutectic structure, 3023
 Excess volume, 3663
 Extended X-ray absorption fine structure, 2191
 Extended X-ray absorption fine structure (EXAFS, XANES), 4601
 External electric field, 479
 Extreme value statistics, 511
 Extrusion, 2791
 FEM, 3843
 FIB, 1981
 Face-centered cubic crystals, 6040
 Faceted dendrite, 2663
 Faceting, 4998
 Facets, 2728
 Fatigue, 274, 500, 835, 1114, 2975, 3951, 4450
 Fatigue behavior, 985
 Fatigue crack initiation, 985
 Fatigue test, 1577, 6097
 Faults, 2531
 Fcc precipitates, 3353
 Fe-C alloys, 3450
 Fe-Cu alloy, 2073
 Fe-V alloy, 4137
 Fe₂O₄, 3260
 Ferrite, 4682
 Ferrite growth, 2203
 Ferritic steels, 3229
 Ferroelastic, 1577
 Ferroelectric, 479, 1219, 2966
 Ferroelectricity, 2110
 Ferroelectricity, 215, 222, 405, 642, 2744
 Ferromagnetic, 4673
 Ferromagnetic shape memory alloy, 913

- Ferromagnetic shape memory alloys, 1001, 5370
 Fibers, 1529
 Fillers, 1173
 Film, 1820
 Finite difference modelling, 3754
 Finite element, 1597
 Finite element analysis (FEA), 2735
 Finite element analysis, 242, 1399, 1991, 2296, 2770, 2843, 3187, 3344, 3927, 4150, 6077, 6197, 6290
 Finite element method, 1482, 3222, 3290
 Finite element modeling, 3810, 4593
 Finite element modeling (FEM), 518, 4390
 Finite element modelling, 835, 3598
 Finite element models, 5524
 Finite-element analysis, 4125
 Finite-element modeling (FEM), 265, 3824, 4858
 Finite-element simulation, 4328
 First principles, 4913
 First-principle electron theory, 3236, 6224
 First-principles calculation, 1511, 3353
 First-principles calculations, 395, 3940, 6232
 First-principles electron theory, 2576, 5796
 Floating grains, 1358
 Fluorescence, 1144
 Foams, 105, 1114, 5138, 5147
 Fokker–Planck equation, 5304
 Formability, 471
 Fraction, 6003
 Fracture, 500, 609, 835, 1633, 2101, 222, 2247, 2441, 2718, 2919, 2955, 3187, 3461, 3900, 4593, 4932, 5123, 5312, 5627, 5845, 5946, 6027, 6214
 Fracture mechanisms, 4739
 Fracture stress, 1044, 1056
 Fracture surface roughness, 2908
 Free volume, 500, 5329, 5440
 Freeze-casting, 105
 Friction, 3577
 Friction stir welding, 1326, 4319
 Friction stir-processing, 2602
 Friction welding, 2843
 Friction-stir welding, 1701
 Fuel cell materials, 2687, 3065
 Fullerene, 1427, 3982
 Functionally graded material (FGM), 4549

 GPB zones, 4804
 GaN, 5552
 Gadolinia doped ceria (CGO), 177
 Gallium, 4536
 Gas permeability, 874
 Gas-atomization, 5927
 Generalized J -integral, 537
 Geometric phase analysis, 2570
 Geometric softening, 282
 Geometrically necessary dislocations, 31
 Gibbs energy, 4798
 Glass matrix composites, 2908
 Glass transition, 593
 Glass-forming ability, 1785
 Gold and silver alloys, 2374
 Gold thin films, 3887
 Gradient, 31
 Grain, 3187
 Grain boundaries (GBs), 5500
 Grain boundaries, 619, 925, 4846, 5293, 5640, 5728, 6123, 6246
 Grain boundary constraint, 2706
 Grain boundary diffusion, 3688, 5500
 Grain boundary embrittlement, 3278
 Grain boundary energy, 2429, 4998
 Grain boundary engineering, 3278
 Grain boundary junctions, 5640
 Grain boundary migration, 1106, 2718, 6013
 Grain boundary motion, 4998
 Grain boundary plane, 2363
 Grain boundary segregation, 3739

 Grain boundary sliding, 1546, 2223
 Grain boundary twin, 2363
 Grain boundary, 2015, 2363, 2728, 3647, 5653
 Grain growth, 1151, 1165, 1315, 2631, 4200, 4255, 5188, 5395, 5560, 5915
 Grain refinement, 78, 6290
 Grain refining, 3533
 Grain rotation, 282
 Grain selection, 4114
 Grain size, 3663, 6174
 Grain size distribution, 4200, 5304
 Grain-boundaries, 1374
 Grain-boundary diffusion, 1374
 Grain-boundary migration, 1151, 1374, 3380
 Grain-boundary segregation, 1374, 4510
 Grain-boundary segregation-induced phase transformation, 1315
 Grain-boundary structure, 4993
 Grain-growth, 1374
 Granular, 3403
 Granular material, 1496
 Granular materials, 3577
 Graphite, 68, 2237
 Graphite morphology, 1981
 Growth, 4309, 6003
 Growth kinetics, 2649, 4621
 Growth temperature, 5066

 HRTEM, 3169, 3358
 HVOF, 2750
 Hair damage, 3585
 Hall effect measurements, 1857
 Hard magnets, 4890
 Hardening, 4510
 Hardness, 2476, 3824, 3887, 5012, 5168, 5202, 5340, 6109, 6290
 Hardness test, 6205
 Hcp metals, 60
 Heat and mass transfer, 2750
 Heat flow and solidification, 1597
 Heat generation, 2843
 Heat of transport, 1243
 Hertzian indentation, 265
 Heterogeneity, 1084, 3120, 3439
 Heterogeneous nucleation of phase, 1689, 5535, 5653
 Heterophase nucleation, 299
 Heusler alloys, 2400, 5492
 Heusler phases, 4789
 High angle annular dark field (HAADF), 4804
 High cycle fatigue, 2955, 3306
 High magnetic field, 3146
 High-energy X-ray diffraction, 913
 High-pressure torsion, 809, 5168, 5451
 High-resolution electron microscopy, 2570
 High-resolution electron microscope (HREM), 2760
 High-temperature deformation, 380
 Hollow sphere structures, 5524
 Homogeneity, 5168
 Hot compression, 4298
 Hot-dipping, 4002
 Hot-pressing, 2022
 Human hair, 3585
 Hume-Rothery's Rules, 1094
 Hydride, 5388
 Hydrides, 1342, 2421
 Hydrogen, 95, 619, 632, 1342
 Hydrogen desorption, 1342, 2421, 6132
 Hydrogen diffusion, 2677, 3761
 Hydrogen embrittlement, 3414, 3761, 5158, 5293
 Hydrogen storage, 1342, 2948, 5388, 6257
 Hydrogen-storage materials, 2677
 Hypoeutectic Zr–Cu–Al bulk glassy alloy, 6097

 I-phase, 985
 Ideal orientations, 200
 Image analysis, 2735, 3854, 6027
 Image correlation, 537

- Impact behavior, 4150, 4858, 5737
 Impedance spectroscopy, 177
 Implantation/irradiation, 250
 Impurity segregation, 5177
 In situ, 1762
 In situ tension test, 3585
 In situ transmission electron microscopy (TEM), 3380
 In-field MFM, 1564
 Inclination, 4998
 Incommensurate phase, 299
 Inconel 706, 1609
 Indentation, 852, 2476, 4080
 Indentation size effect, 3338, 5640
 Infiltration, 2237
 Infrared pyrometry, 4012
 Injection molding, 50
 Interaction, 4944
 Interdiffusion, 5818
 Interface, 995, 1546, 2699, 2966, 3077, 5668, 5972
 Interface diffusion, 242, 6050
 Interface energy, 659
 Interface migration, 3754
 Interface segregation, 5861
 Interface structure, 1011, 1390, 3036, 3358, 3461
 Interface toughness, 43
 Interface wetting, 4291
 Interfaces, 977, 2237, 3109, 4378, 4702, 4944, 5685, 6197
 Interfaces (twin boundaries, stacking faults), 4984
 Interfacial fracture toughness, 4080
 Interfacial misfit, 2003
 Interfacial segregation, 2073
 Intergranular failure, 2872
 Intergranular films, 862
 Intermediate modeling, 5359
 Intermetallic Laves phases, 4984
 Intermetallic compounds, 242, 559, 1065, 1136, 1849,
 2469, 2677, 4291, 5255, 5668
 Intermetallic compounds (IMCs), 2649
 Intermetallic phases, 2791
 Intermetallics, 4062, 5388
 Intermetallics (iron-aluminides), 2400
 Internal friction, 632, 1473
 Internal strain, 3699
 Internal stress, 3266
 Internal stresses, 333
 Interstitial Fe-based alloys, 3833
 Interstitial diffusion, 4570
 Interstitials, 2937, 3963, 6132
 Inverse Monte Carlo simulations, 6264, 6273
 Inverse heat conduction problem, 2843
 Ion beam processing, 4570, 5091
 Ion irradiation, 1564
 Ionic diffusion, 2897
 Ionomer self healing, 5737
 Iron, 2602, 3761, 4536, 5034, 5123, 5158
 Iron alloys, 88, 1196, 4137
 Iron aluminides, 3162
 Irradiated metals, 1056
 Irradiation effect, 1044
 Irradiation embrittlement, 4510
 Irradiation-hardening rate, 1056
 Islands of films, 5322
 Isothermal austenite–ferrite transformation, 3833
 Isothermal heat treatments, 3723
 Joining, 438
 Kinetic analysis, 3543
 Kinetic spraying, 4858
 Kinetic transitions, 2203
 Kinetics, 364, 1890, 3833, 5719
 Kinetics self-organization & patterning, 6214
 Kinetics self-organization and patterning, 2290
 Kinetics self-organization, 5567
 L1₂ compound, 1288
 L1₂, 4267
 LEPR, 1427
 Lamella, 5995
 Laser deposition, 405, 2110, 5312
 Laser doping, 1857
 Laser treatment, 2919
 Lattice defects, 1298, 1849, 4715, 5158, 5223
 Lattice spacing, 1797
 Lattice strains, 3927, 6186
 Laves phases, 1899
 Layered structures, 5027
 Li-ion battery, 1539
 Light-emitting, 3327
 Liquid film migration, 2290
 Liquid infiltration, 1802
 Liquid phase sintering, 2615
 Liquid precursor, 2750
 Liquids, 5058
 Liquidus temperature, 2032
 Lithium borohydride, 949, 6257
 Lithium disilicate, 549
 Lithography, 1209, 1967, 2540
 LnBa₂Co₃O_{5+δ}, 4876
 Load partitioning, 3367
 Local crack driving force, 6027
 Local equilibrium, 2203, 3754
 Local strain distribution, 2167
 Localization, 3187, 3403
 Long-range ordering, 5861
 Lorentz microscopy, 4470
 Low carbon steel, 4682
 Low cycle fatigue, 2735
 Low-alloy steel, 1482
 Low-permittivity, 4932
 Low-temperature deformation, 3414
 Luminescence, 358
 Luminescent solar collector, 259
 MC simulations, 4750, 5653
 MC-simulations, 5535
 MCrAlY coating, 4972
 MD simulation, 1011
 MD simulations, 1802, 4750
 MOCVD, 5552
 MWNT, 2247
 Macrosegregation, 1358
 Macrozones, 4298
 Magnesium, 5, 200, 387, 3699, 3777
 Magnesium alloy, 934
 Magnesium alloys, 1701, 2456, 2531, 2677, 2791, 2948,
 3533, 4829, 5245, 6061
 Magnesium diboride, 1680, 5751
 Magnesium intermetallics, 2421
 Magnetic, 3260
 Magnetic domains, 4470
 Magnetic patterning, 4570
 Magnetic properties, 405, 527, 3177, 3511, 4789
 Magnetic shape anisotropy, 3516
 Magnetic shape memory, 5130, 5492
 Magnetic shape memory alloys, 3177
 Magnetic thin films, 3511
 Magnetism, 5895
 Magnetization distribution, 292
 Magnetization process, 1564
 Magnetization profiles, 292
 Magnetoelasticity, 4673
 Magnetoelectricity, 405
 Magnetostatic coupling, 292
 Magnetostriction, 4536
 Magnetostructural transformations, 5895
 Manganese-doped ZnO, 4028
 Martensite transformation, 3900
 Martensite, 16, 1721, 3394, 3558, 3969

- Martensites, 2885
 Martensitic phase transformation, 518, 1001, 4160, 4226, 5492, 5927, 6232
 Martensitic phase transformations, 1570
 Martensitic phase, 4529
 Martensitic transformation, 913, 1482, 1797, 3177, 3630, 3711, 3791, 4913, 5370, 6282
 Materials with reduced dimensions, 602
 Mean-field analysis, 4402
 Mechanical alloying, 2344, 6050
 Mechanical behavior, 609
 Mechanical milling, 1136
 Mechanical properties, 387, 894, 934, 1209, 1399, 1642, 1689, 1830, 2353, 2429, 2540, 2563, 2834, 3353, 3585, 4233, 4477, 4762, 4780, 4846, 4932, 5071, 5091, 5138, 5147, 5783
 Mechanical properties (high-temperature deformation), 2400
 Mechanical properties (slip, synchroshear), 4984
 Mechanical properties testing, 3313
 Mechanical property, 3077
 Mechanical testing, 3558
 Mechanism, 1144
 Melting of alloys, 2290
 Mesoporous bioactive glass, 3260
 Mesoporous silica, 1144
 Metal and alloys, 3523
 Metal dusting, 68
 Metal foam, 609
 Metal matrix composites (MMCs), 2549
 Metal-scale interface, 5701
 Metal-induced crystallization, 5047
 Metallic glass, 593, 995, 3550, 5329
 Metallic glasses, 88, 651, 894, 1762, 1899, 2625, 2760, 2955, 3306, 3613, 3777, 4829, 5058, 5091, 5202, 5263, 5575, 5845, 5875, 6077, 6264, 6273
 Metallic materials, 1044
 Metalorganic chemical vapor deposition (MOCVD), 4036
 Metals, 1802, 2353, 4339
 Metamagnetism, 5895
 Metastable phases, 2231, 2469, 3791
 Mg alloy, 985
 Mg-based alloys, 3353
 MgAl alloys, 4621
 Micro Solid Oxide Fuel Cell (SOFC), 177
 Micro powder injection molding, 5560
 Micro-/nanoindentation, 4390
 Microcracking, 3011
 Microindentation, 140, 5377, 6197
 Micromagnetism, 4890
 Micromechanical modeling, 299, 1447, 1496, 1991, 2101, 3344, 3843, 5293, 5359
 Micromechanical modelling, 3914, 6186
 Micromechanics, 1546, 1650
 Micron scale, 5477
 Microsegregation, 1358
 Microstructure, 413, 427, 549, 609, 934, 942, 1136, 1165, 1315, 1326, 2147, 2421, 2602, 2819, 2834, 3843, 3914, 4217, 4328, 4470, 4715, 4789, 5223, 5285, 5466, 5605, 5719, 5804, 5818, 5927
 Microstructure formation, 2514
 Microstructure formation mechanism, 1380
 Microstructure hull/Microstructure design, 128
 Microstructures, 4739, 5245
 Microtexture, 2037
 Microtomography, 1084
 Microtubes, 2063
 Minerals, 2784
 Mischmetal, 934
 Misfit, 4102
 Misfit strain, 364
 Misfit-strain energy, 5837
 Misorientation, 6174
 Mixed conductor, 4876
 Mn-Ceria, 1461
 Mn₃O₄ nanowire, 3516
 Mo₃Sb₇, 5694
 Modeling, 60, 128, 1151, 1257, 1274, 1650, 2810, 2819, 2897, 2919, 3023, 4954, 5395, 6109
 Modelling, 427, 1588, 1597, 2718, 3490, 3613, 4972, 5138, 5915, 6087
 Modified embedded-atom method, 3481
 Molecular dynamics, 95, 165, 619, 995, 1106, 1126, 1366, 1802, 2441, 2799, 3461, 3470, 3577, 3688, 4160, 4489, 4816, 4846, 5034, 5263, 5584, 5685, 6264, 6273
 Molecular dynamics (MD), 2760
 Molecular dynamics simulations, 1065, 3874, 4022, 4608, 5875
 Molecular statics simulations, 3109, 6013
 Monotectic solidification, 5214
 Monte Carlo, 95
 Monte Carlo method, 1366
 Monte Carlo simulation, 2585
 Monte Carlo techniques, 1712, 2810, 2929, 2937
 Morphological stability, 1348, 3146
 Morphology, 5544
 Moving crack, 4673
 Multicomponent, 5214
 Multicomponent diffusion, 2585, 4277, 4896
 Multilayer thin films, 5312, 5322
 Multilayer thin-films, 1011
 Multilayers, 852, 3044, 3109, 5685
 Multiphase, 4972
 Multiscale, 2799
 Multiscale simulations, 4358
 Multiscale-wear tribology, 5984
 N₂/O₂ diffusion, 3543
 NCS, 2003
 NPLE, 1890
 Nano-scale twins, 2429
 Nano-scratch test, 5984
 Nanobelt, 2488
 Nanoclay, 2089
 Nanocomposite, 1461, 2089, 2101, 2247, 2336, 2381, 2929, 3132, 4070, 4172, 4905, 5677, 5875
 Nanoconfinement, 6257
 Nanocrystal, 995, 5329
 Nanocrystalline, 1546, 1619, 3663
 Nanocrystalline (NC) structure, 4549
 Nanocrystalline alloys, 2526
 Nanocrystalline Cu, 4921
 Nanocrystalline film, 3380
 Nanocrystalline material, 78, 165, 571, 1642, 2374, 3470, 3577, 3688, 3874, 4172, 4255, 4522, 4647, 4691, 4750, 4836, 4846, 4890, 5340, 5728, 6013
 Nanocrystalline metals, 5584
 Nanocrystalline microstructure, 659, 2718, 5047
 Nanocrystalline nanostructure, 2450
 Nanodomains, 4498
 Nanoindentation, 1712
 Nanoindentation, 31, 977, 1399, 1417, 1633, 2296, 3222, 3338, 3523, 3777, 3824, 3887, 4206, 4233, 4378, 4458, 4829, 5091, 5640, 6013, 6205
 Nanomaterials, 3558
 Nanoparticles, 1820, 5276, 5972
 Nanoporous, 5946
 Nanoreactor, 2450
 Nanoscale metal-ceramic multi-layers, 4378
 Nanoscale surface deformation, 2089
 Nanoscale twins, 4647
 Nanoscale wear, 6303
 Nanostructure, 448, 1820, 4172, 4369, 5451
 Nanostructured materials, 230, 2429
 Nanostructured metals, 282
 Nanostructured thermoset, 5112
 Nanostructures, 3422
 Nanotwins, 3770
 Nanovoid, 95
 Nanovoid collapse, 2389
 Nanovoid nucleation, 619
 Nanowire, 5828
 Nb₂O₅, 2488
 Near crack-tip deformation, 537
 Neighbor orientation, 3098

- Neutron diffraction, 1577, 1701, 2456, 3367, 3598, 3672, 3699, 4102, 4183, 4319, 4402, 4417, 4724, 6132
 Neutron reflectometry, 464
 Ni dissolution in liquid Al, 1840
 Ni–Al–Cr, 4277
 Ni–Fe alloy, 4022
 Ni–Fe–Ga–Co, 3177
 Ni–Mn–Ga–Co, 5370
 Ni–Mn–Ga/alumina film composite, 1797
 Ni-base superalloys, 5544, 6156
 Ni-based superalloys, 4349
 Ni5W/Ni9W/Ni5W composite substrates, 23
 Ni–Ti, 395
 Ni_2MnGa , 4529
 NiTi, 3266
 Nickel, 68, 2988, 3245, 3414, 3439, 4836, 5584
 Nickel alloy, 150
 Nickel alloys, 155, 413, 427, 448, 2237, 2576, 2631, 2669, 2975, 3278, 37854, 4267, 4277, 4577, 4601, 4789, 5158
 Nickel aluminides, 3502, 3647, 4277
 Nickel superalloys, 1588, 1597
 Nickel-aluminide, 489
 Nickel-based single crystal superalloys, 313, 3622
 Nickel-based superalloys, 3422
 Nitride, 5783
 Nitrides, 1196, 4036, 4440
 Nitriding, 4137
 Nitriding combustion in air, 3543
 Nitrocarburizing, 5837
 No structural relaxation-induced embrittlement, 6097
 Non-Schmid, 5
 Non-associated flow, 5412
 Non-equilibrium, 2592
 Non-glide stresses, 5412
 Non-isothermal, 3132
 Non-local stress–curvature relations, 5322
 Non-metallic glasses (silicates), 3065
 Non-reciprocal rule, 2514
 Non-spherical voids, 1671
 Non-uniform film thickness, 5322
 Non-uniform misfit strain, 5322
 Nonlinear, 2592
 Nonlinear magnetization, 4673
 Nucleation, 3568, 4309, 5907, 6003
 Nucleation and growth, 2585, 4022
 Nucleation of phase transformations, 1830, 3791
 Numerical solution, 5304

 O-line, 2003
 ODS ferritic steel, 250
 Omega phase, 1298
 Onsager's principle, 5188
 Open-cell foam, 2283
 Optical materials, 2191
 Optical microscopy, 3711, 6282
 Optical spectroscopy, 6309
 Optical transmission, 3511, 4869
 Order to disorder phase transformations, 5737
 Order–disorder phenomena, 2191, 2526, 4789
 Organosilicate glass, 4932
 Orientation, 2649, 5083
 Orientation distribution functions, 6141
 Orientation imaging microscopy (OIM), 128
 Orientation imaging microscopy, 3914
 Orientation relationship, 2037
 Orientation stability, 1018, 1031
 Ostwald ripening, 150
 Oxidation, 489, 2400, 3132, 3622, 4242, 4972, 5276, 5701
 Oxide, 3990
 Oxide-film constitution, 4621
 Oxide-film growth kinetics, 2897
 Oxides, 642, 2336, 4477, 5276

 Pair correlation function, 5285

 Paraelectric, 479
 Paraequilibrium, 2203
 Partial transformation, 3266
 Particle, 3187
 Particle deformation, 3577
 Particle packing, 1084
 Particulate reinforced composites, 2101
 Pattern formation, 3969
 Patterning, 1564m 5567
 Patterns, 1326
 Pearlitic steels, 5995
 Peierls barrier, 5426
 Peierls potential, 5426
 Peierls stress, 5401
 Peierls–Nabarro model, 1447
 Peritectic solidification, 1519
 Perovskites, 215, 642, 2110, 2191, 2687, 2744, 5312, 6309
 Phase coexistence, 5895
 Phase composition, 1609
 Phase diagram, 155, 4798, 5972
 Phase diagram calculation, 2032
 Phase diagrams, 5796, 6246
 Phase field, 2966, 4498, 6156
 Phase field model, 4114
 Phase field modeling, 3568
 Phase field models, 427, 3739, 3854
 Phase fronts, 4724
 Phase morphology, 3327
 Phase separation, 1173, 2073, 5552, 5972
 Phase stability, 1491, 3202, 5223
 Phase transformation kinetics, 3723, 3862, 4217, 4896
 Phase transformation, 155, 1219, 1306, 1689, 3169, 4702, 5907
 Phase transformations, 150, 188, 549, 1136, 2585, 4028, 4226, 4724, 4984, 5895
 Phase transition, 3470
 Phase-field method, 4585
 Phase-field modelling, 1348
 Phase-field models, 4559, 5861
 Phase-field simulation, 4965, 5544
 Phase-field simulations, 3558
 Phase-transformation kinetics, 2344
 Phosphor, 358
 Phosphorous, 5066
 Photo-polymer waveguides, 2540
 Photocatalysis, 2699
 Photoemission, 5938
 Photoluminescence, 955, 5775
 Physical vapor deposition (PVD), 2469, 2563, 4172
 Piezoelectricity, 642, 1577, 1868, 1991, 2744, 3810
 Plasma spray coatings, 874
 Plasma spraying, 571, 4477, 5177, 5984
 Plastic deformation, 128, 140, 333, 341, 580, 1065, 1114, 1417, 1642, 1712, 1876, 1909, 1919, 1942, 2988, 3245, 3344, 3647, 3672, 3824, 3887, 4046, 4160, 4183, 4349, 4378, 4682, 4750, 4762, 4829, 5202, 5263, 5329, 5617, 5764, 6040, 6087
 Plastic flow properties, 3338
 Plastic instability stress, 1044, 1056
 Plastic wave, 3647
 Plasticity, 894, 3120, 4358, 5477
 Platinum, 3502
 Platinum alloys, 4267
 Platinum-group, 380
 Point defects, 2885, 3162, 3236, 3502, 6224, 6309
 Poisson's ratio, 6077
 Polarized neutrons, 5964
 Polaron, 1427, 3982
 Poly(lactide), 5083
 Polyaniline, 5775
 Polycrystal, 2706
 Polycrystal plasticity modeling, 3927
 Polycrystalline silicon, 4114
 Polycrystals, 1165, 2885
 Polyethylene, 2336
 Polymer matrix composites, 2101, 2929

Polymer waveguides, 1209
 Polymer–matrix composites, 2336
 Polymers, 4217, 4390, 5377
 Polyolefin blend, 50
 Polypropylene, 2247
 Polythiophene and derivatives, 1427, 3982
 Porosity, 5560
 Porous material, 105, 324, 874, 2450, 4242, 5147
 Portevin–Le Chatelier effect, 5567
 Powder consolidation, 1496
 Powder processing, 105, 1680, 2549, 4070, 5147
 Precipitate, 395, 1721, 4510
 Precipitate-free zone, 2872
 Precipitates, 3229, 4470
 Precipitation, 150, 448, 1890, 1933, 2147, 2585, 3723, 4137, 4309, 4369, 4804, 4896, 4944, 5535, 5653, 6061, 6109
 Precipitation crystallography, 2003
 Precipitation hardening, 3490
 Precipitation kinetics, 2119
 Precipitation strengthening, 114, 1182
 Precursor impregnation and pyrolysis (PIP), 1529
 Preferential oxidation, 4621
 Pressure dependent plasticity, 3222
 Prewetting, 862
 Probability and statistics modeling, 3306
 Processing, 471
 Protein adsorption, 2784
 Protein bonding, 2784
 Proximity, 4522
 Pseudo-crack-tip opening displacement, 537
 Quantum dots, 5775
 Quasi-ductility, 1511
 Quasicontinuum method, 2389
 Quasicrystals, 1899, 2262
 Quaternion distribution, 6141
 Quench sensitivity, 2872
 Radioscopy, 3990
 Raman spectroscopy, 140, 5345
 Rapid prototyping, 1209, 2540
 Rapid solidification, 4522, 4559
 Rapid thermal annealing, 1721
 Rare earth, 651
 Rare-earth, 527
 Rayleigh instabilities, 1967
 Reactive sintering, 559
 Reactor pressure vessel steels, 4510
 Rearrangement, 1084
 Reconstruction, 942
 Recovery, 369, 5719
 Recrystallization, 387, 2770, 2791, 3098, 5500, 5719
 Recrystallization kinetics, 369
 Reduction, 5276
 Reduction and oxidation kinetics, 6309
 Relaxation, 632, 1427, 3982
 Relaxation mechanism, 5828
 Relaxor, 1219
 Reordering, 4608
 Residual strains, 5964
 Residual stress, 1701, 4125, 5047, 5345
 Residual stresses, 140, 265, 413, 500, 1196, 2908, 3344, 3672, 4417, 5783, 6205
 Rhenium, 1609
 Rhenium-effect, 2669
 Rheology, 3403
 Ripening, 1075
 Rod (fibrous) eutectics, 3862
 Rumpling, 489
 Rupturing, 2283
 SEM, 358, 3533
 SOFC, 4876
 STEM, 6061
 STEM HAADF, 4804
 Saturation magnetization, 23
 Scale fracture, 5701
 Scanning electron microscopy, 1407, 5845, 5907
 Scanning electron microscopy (SEM), 651, 3306, 4390, 5027
 Schmid factor, 5
 Schmid law, 5401
 Scratch test, 5345
 Scratch testing, 3011
 Screw dislocation, 3450
 Segregation, 2203, 3023, 5514
 Self-accommodation, 2037
 Self-assembly, 5112
 Self-lubricant, 5101
 Self-organization and patterning, 324, 1555
 Self-propagating high-temperature synthesis, 559
 Self-propagating high-temperature synthesis (SHS), 1380
 Semi-crystalline polymers, 1650
 Semi-solid, 3403, 4328
 Semiconductor compounds, 5954
 Semiconductors, 4458
 Semicrystalline polymer, 2296
 Serial-sectioning, 1257, 1274
 Severe plastic deformation (SPD), 1619, 2770, 4549
 Severe plastic deformation, 413, 809, 2307, 2526, 3053, 4771, 5168, 6123, 6290
 Shape dependence, 4816
 Shape memory, 3394
 Shape memory alloy, 3266
 Shape memory alloy (SMA), 3791
 Shape memory alloys (SMA), 518, 1570, 5927
 Shape memory alloys (SMAs), 4724
 Shape memory alloys, 559, 2063, 3088, 3630, 3711, 6232, 6282
 Shape memory effect, 1721
 Shape memory effect (SME), 2638
 Shape strain, 3169
 Shape-memory, 3558
 Shear, 852
 Shear band, 5329
 Shear banding, 230, 282
 Shear bands, 387, 894, 1762, 2223, 2834, 2955, 5202, 6077
 Shear modulus, 88
 Shear planes, 3800
 Shell meshes, 5524
 Shish–kebab, 50
 Shock compression, 5584
 Shock-induced reactions, 1496
 Shocks, 2389
 Short-range order, 3613, 5263
 Short-range ordering, 593, 1298, 5071
 Si–Sn alloy, 2592
 Silicon, 2663
 Silicon carbide (SiC) whiskers, 2450
 Silicon carbide, 1857
 Silver, 1820, 5764
 Silver nanostructures, 2508
 Simulation, 351, 1151, 1326, 3739, 5188, 5915, 6214
 Single crystal, 3439, 3887
 Single crystals, 2212
 Single-crystal silicon carbide, 3824
 Single-crystal, 1219, 1657, 2488
 Sintering, 1315, 3065, 4477, 5560, 5875
 Site occupancy, 6132
 Site preference, 6224
 Size dependence, 4762
 Size effect, 1435, 2706, 5477
 Size effects, 580, 602, 2988, 3245, 5091
 Sliding–sticking friction, 2843
 Slip, 1126, 1919, 2531, 3109, 3461, 3951, 4349
 Slip band, 2406
 Slip morphology, 2212
 Slip surfaces, 2353
 Slip system, 1657
 Slip transmission, 5685

- Slip-lines, 3011
 Small punch test, 894
 Sn electrode, 1539
 $\text{SnO}_2/\text{SrNb}_2\text{O}_6$, 2699
 Soap bubbles, 1165
 Soft impingement, 4309
 Sol-gel, 259
 Solder wetting, 1075
 Soldering, 155, 4291, 5514, 5668
 Solid solubility extension, 6050
 Solid solution, 4691
 Solid state phase transformation, 3568
 Solid state reaction, 358
 Solid/liquid interface, 2663
 Solidification, 3023, 4114, 4559
 Solidification microstructure, 1348, 5214
 Solidification microstructures, 4002
 Solidification shrinkage, 4002
 Solubility, 6246
 Solubility limit of metals, 1094
 Solute strengthening, 4091
 Solvothermal method, 2508
 Soret effect, 1243
 Spacing selection, 4965
 Spalling, 242
 Specific quasirandom structure (SQS), 3202
 Specific heat, 5694
 Spectral decomposition, 6141
 Spinels, 4028
 Spinodal decomposition, 968, 4022
 Spinodal, 4440
 Spray forming, 1588, 1597
 Sputter deposition, 2063
 Sputtering, 5101
 Stability, 2592
 Stacking fault tetrahedron, 4608
 Stacking faults, 1288, 4036
 Stacking-fault energy, 809
 Stainless steel, 2133, 3414 keyword > Stainless steels, 4125, 4160
 Static aging, 3002
 Static recrystallization, 369
 Statistical mechanics, 4226
 Statistics, 5285
 Steady-state motion, 2728
 Steel with spheroidal cementite, 78
 Steel, 4954
 Steels, 3236, 5535, 5653
 Stochastic model, 4200, 5304
 Stokes shift, 259
 Strain, 2570
 Strain accommodation, 3088
 Strain accumulation, 1114
 Strain distribution, 6290
 Strain energy, 1539
 Strain gradient plasticity, 1555, 1942, 3002
 Strain gradients, 5477
 Strain hardening, 4771, 6040
 Strain rate, 5426
 Strain rate sensitivity, 1018, 4635
 Strain softening, 4771
 Strain vs. temperature, 2231
 Strain-hardening exponent, 3338
 Strain-hardening rate, 1056
 Strain-rate sensitivity, 4046
 Strength, 4816, 5627
 Strength differential, 5412
 Strength of Ta, 2389
 Strengthening, 3229
 Strengthening mechanism, 5451
 Stress and strain, 3523
 Stress intensity factor, 537
 Stress-corrosion cracking, 4125
 Stress-relaxation experiments, 333
 Strontium titanate, 4993
 Structural disordering, 5440
 Structural modulation, 4529
 Structural relaxation, 3777, 4635
 Structure–property relationship, 50
 Structure, 1785, 3394
 Substrate, 1173
 Sulfidation, 5701
 Sulfides, 2476
 Sulfonation, 4780
 Superalloy, 1657, 4102, 4715
 Superalloys, 4267
 Superconductivity, 5694
 Superconductor, 1680, 4522, 5751
 Supercooled liquid region, 2625
 Superhard materials, 2864
 Superhard nanocomposite, 4440
 Superionic conductor, 1366
 Superlattice, 2450
 Surface, 2966, 3963
 Surface damage, 5605
 Surface energy (anisotropy), 1967
 Surface segregation, 2374, 4702
 Surfaces, 6246
 Surficial amorphous films, 862
 Synchrotron diffraction, 3598
 Synchrotron radiation computed tomography, 1671, 2872
 Synchrotron radiation, 602, 1876, 2167, 3927, 5575, 6027
 Synthesis, 949, 1144
- TBC, 43
 TEM, 68, 250, 274, 1689, 1933, 2022, 2147, 2988, 3490, 3533, 3990, 4378, 4836, 5066, 5245,
 TRIP-aided steels, 3900
 TRIP-assisted steel, 3367
 Tantalum, 5804
 Temperature, 4012, 5426
 Temperature dependence, 4816
 Temperature effect, 5466
 Temperature-dependent, 5954
 Tempering, 188
 Template synthesis, 3516
 Temporal evolution, 3422
 Tensile behavior, 3470
 Tensile behaviour, 4402
 Tensile test, 6097
 Tensile testing, 1762
 Tension, 4102
 Tension test, 580, 1876, 3414, 4349, 4682, 5764
 Ternary alloys, 4585
 Tetragonal distortion, 4137
 Tetrahydroborate, 949
 Texture, 128, 200, 1018, 1031, 1228, 1326, 1919, 1991, 2307, 2456, 2784, 2791, 3439, 3672, 3800, 3914, 3951, 4298, 5359, 5804, 6087
 Texture evolution, 3098
 Theoretical density, 3663
 Theory, 427, 1151, 2631
 Theory and modeling (kinetics, transport, diffusion), 5751
 Thermal analysis, 1519
 Thermal and mechanical cycling, 1570
 Thermal barrier coating, 4150
 Thermal barrier coatings, 313, 3622, 5177
 Thermal barrier coatings (TBC), 4080
 Thermal conductivity, 2810, 4477, 5138
 Thermal cycling, 3622, 632
 Thermal diffusion, 1243
 Thermal effects, 4012
 Thermal hysteresis, 2231
 Thermal spray, 5012
 Thermally activated processes, 333, 1473, 2864, 4091, 5737
 Thermodynamic modeling, 5245, 968
 Thermodynamic stability, 5071
 Thermodynamics, 1519, 1785, 1890, 2119, 2576, 3202, 351, 593, 659, 4062, 4226, 4440, 5188, 5255, 5395, 5796
 Thermomechanical actuation, 1797

- Thermomechanical processing, 6174
 Thermoplastic forming, 471, 3290
 Thermoresponsive materials, 5112
 Thick films, 5027
 Thin film, 177, 405, 2966, 4921, 4932
 Thin film coatings, 2864
 Thin films, 274, 324, 438, 659, 977, 1633, 1876, 2063, 2110, 2563, 3394, 3969, 4172, 4233, 4869, 4905, 5047, 5377, 6214
 Thin-films, 3313, 5946
 Three dimensions, 4647
 Three-dimensional atom probe (3DAP), 1609
 Three-dimensions Imaging, 5995
 Threshold strength, 5783
 Ti–C, 3481
 Ti–N, 3481
 Ti–Nb, 3088
 Ti–Ni, 2063
 Ti–Ni, 2885
 $\text{Ti}_{50}\text{Ni}_{25}\text{Cu}_{25}$ ribbon, 1721
 TiN, 852
 TiNi, 4913, 5927
 Tin, 934
 Titanium, 105, 114, 1182, 369, 4369, 5907
 Titanium alloy, 4450
 Titanium alloys, 1298, 2406, 2856, 3951, 4298, 6186
 Titanium aluminides, 1689, 3963, 4691, 4896, 6224, 5147
 Tomography, 1981, 3990
 Toughness, 265, 977, 3358, 3900, 438, 571, 4458, 4593, 5027, 5293, 6077, 6214
 Transformation, 6003
 Transformation disconnections, 3088
 Transformation kinetics, 1482
 Transgranular fracture, 4739
 Transition metals, 1899, 2344, 6132, 6224
 Transition path, 5426
 Transition-metal silicides, 5223
 Transmission electron microscopy, 852, 1288, 1306, 1407, 1849, 2406, 2526, 2975, 3053, 3394, 4536, 4658, 4993, 527, 5451, 5764
 Transmission electron microscopy (TEM), 571, 1417, 1876, 2015, 2638, 2735, 3162, 3313, 4036, 4905, 5276, 5552
 Transport properties, 1491
 Tribology, 380
 Trilayer ribbon, 292
 Triple junction, 5828
 Triple junctions, 925, 5728
 Tungsten, 448
 Tweed, 4498
 Twin boundary, 632, 1001, 2663, 5708
 Twin grain boundary, 1126
 Twinning, 5, 1065, 1126, 1306, 2456, 2638, 2975, 5130, 5492, 5584
 Twinning dislocations, 3088
 Two-phase materials, 4402
 Two-way memory effect (TWME), 3266
 p-Type, 5066
- UHTC, 3011
 Ultra-mild wear, 5605
 Ultrafine-grained materials, 1228, 3630
 Ultrasonic consolidation, 128
 Undercooling, 2663
 Uniaxial tension, 3900
 Uniform elongation, 2223
 Uranium dioxide, 4489
 Vacancies, 2262, 2687, 3044, 3162, 351, 3511, 5158, 5255, 5861
 Vacancy generation-controlled deformation, 3044
 Variational estimate, 4402
 Very high cycle fatigue, 4012
 Viscoelasticity, 5377, 3290
 Void clusters, 4429
 Void coalescence, 4429
 Void growth, 3874, 4429
 Wear, 3053, 4233, 4549, 5101
 Wear mechanisms, 5605
 Welding, 2133, 4417
 Wetting, 1802, 2237, 3036, 4702
 Wetting phase transition, 6123, 925
 Widmanstätten precipitation, 364
 Work-hardening modelling, 4682
- X-ray computed tomography, 2167
 X-ray diffraction, 1680, 1868, 215, 3927, 413, 527, 4536, 4905, 5047, 5751, 6186, 809
 X-ray diffraction (XRD), 1298, 1461, 16, 165, 4255, 4570, 5575, 602
 X-ray photoelectron spectroscopy, 3963, 4780
 X-ray photoelectron spectroscopy (XPS), 1461
 X-ray radiography, 4715
 X-ray synchrotron radiation, 2514
 X-ray tomography, 2919, 4242, 4954, 5524
 XRD, 358, 4836
- Yield behavior, 1650
 Yield criterion, 4816, 5412
 Yield phenomena, 1909, 2296, 3523, 4762, 5263, 6087, 6205
 Yield point, 3002
 Yield strength, 23, 511
 Yield surface, 5412
 Yttria, 5177
 Yttria-stabilized zirconia polycrystal, 1315
- Zinc oxide, 6246
 Zirconium, 114, 1182
 Zirconium alloys, 3672
 ZnO, 5066
 Zr–Al–N, 968
 Zr, 1228
 ZrB₂–SiC, 3011
 ZrN, 968